


Project Name:	
Type:	
Qty:	

Bubble Rhombus 5075

Pendant/Surface/Recessed



FEATURES

Light Source:	SMD2835 SANAN/SAMSUNG/OSRAM
Life Span:	L80 B20 @ 50,000hrs.
CRI:	>80/>90/Full spectrum
Color Temperature:	2700K - 4000K
Input Voltage:	220~240VAC/110~277VAC
Material:	Aluminum 6063-T5
Lamp Shade:	Diffuser/Trans/Micro Prismatic
IP Rating:	IP20
Mounting:	Pendant/Surface/Recessed
Warranty:	5 Years

ORDERING INFORMATION

Fixture Type	Mounting	Size	Output	Optics	Model	Beam Spread	Electrical	CRI	CCT	Finish Color	Dimming	Options
Bubble Rhombus 5075	S Surface* CC Central Canopy DS Direct Suspension R Recessed*	849 33 3/8" 1024 40 3/8** 1200 47 2/8"	SO Standard Output CPO Custom Power Output	D Direct DI Direct/Indirect	M 6 Lens/light F Full lenses	12 12° 24 24° 38 38° 50 50° 50/50 50°/50° 70/70 70°/70° 35/70 35°/70° 90/90 90°/90°	1C 1 Circuit 2C* 2 Circuit	80 80 CRI 90 90 CRI	27K 2700 k 30K 3000 k 35K 3500 k 40K 4000 k RGB Red, Green, Blue RGBW Red, Green, Blue, White (Specify CCT)	BK Black WH White SLV Silver RD Red BL Blue GR Green YL Yellow RAL xxxx Custom RAL	STD On / Off Only DIM 0-10v Dim (1% or below) DALI Dali Driver	*AC-XXX Acoustic (color code on page 2.) EM15 Emergency Battery Backup (approx. 1050 lm)
	*Direct only	(Consult factory for options)					*only available with Direct/Indirect Optics				For other options, consult factory	*Additional cost associated with premium finish acoustic textures (XXX codes). Acoustic textures not available on all sizes, factory consultation is required.

Project Name:	
Type:	
Qty:	

FINISHES



ACOUSTIC COLORS



101-Cream



102-Tan



103-Light Gray



104-Marble



106-Black Marble



107-Black



110-Periwinkle



111-Light Blue



112-Brown



115-Neon



117-Medium
Green



119-Dark Green



120-Midnight
Blue



122-Medium
Gray



123-Dark Blue



127-Peach



129-Creamsicle



130-Orange




133-Red



135-Dark Red



138-Blue Marble



140-Red Marble



141-Dark Gray



144-Blue/Gray





145-Yellow

Project Name:	
Type:	
Qty:	


BEAM SPREAD

HOUSING PROFILE




The Bubble Lens is also available on the fixtures below:

MODEL M



MODEL F



Project Name:	
Type:	
Qty:	

INSTALLATION

