LIGHTING Elements

Project Name:	
Type:	
Qty:	

Lilith 2

LED Mini Spotlight

Round

Square









PRODUCT DESCRIPTION

Lilith 2 provides a quick and convenient installation method and is a good solution for architecture lighting. It makes a big breakthrough in the use and design with a 2 inch (50.8mm) light-emitting surface.

FEATURES

- The simplified retrofit installation can be used in both new and existing spaces.
- IC Airtight for use with direct contact to insulation.
- Beam Angle: 14/24/36 Degrees.
- Life Rated for 50,000 hours at 70% lumen maintenance.
- Easy installation for new construction and remodel applications.

SPECIFICATIONS

- Source: LED COB Chips.
- Lumen maintenance: 50,000 hours L70 based on LM80 standardized test results.
- Optics: PC Lens for even lumen distribution.
- Material: Die-cast aluminum construction for lasting quality.
- Mounting: New construction installation or remodel installation
- Electrical: High efficiency electronic driver, rated at 50 000 hours
- Heat dissipation: Superior Thermal Management by utilizing aluminum body as heat sink.

APPLICATIONS

Suitable for jewelry stores, boutiques, luxury goods stores, shopping malls and other places that require concentrated lighting and accent lighting.

ORDERING INFORMATION

LILITH 2

Fixture Type	Shape	Construction	Performance	CRI	Beam Angle	Color	Dimming	Voltage
LILITH 2 Lilith 2" LED Downlight	**RF** Round Fixed **RA** Round Adjustable **SF** Square Fixed **SA** Square Adjustable	**R** Remodel **N** New Construction **A** Airtite	**8W** 8 watts	**3CCT** 30k, 35k, 40k	**14** 14° **24** 24° **36** 36°	**WH** White **BK** Black	**STD** No Dimming **DIM** 0-10v **ELV** ELV Dimming *For other options, consult factory*	**STD** 120-277v

LIGHTING Elements

Project Name:	
Type:	
Qty:	

PARAMETER

Voltage	DC 24V
Watt	8W
CCT	2700K-6000K/3CCT
Dimmable	Dimming
Lumen	800-1000lm
Light Source	COB
CRI	90+
Beam Angle	15°/24°/36°
Material	Aluminum
Finish	White/Black/Silver/Satin Nickel/Brown

COVER COLOR OPTION

White

Black

AIRTITE HOUSING





Cut-out Size: Φ2. 5″



NEW CONSTRUCTION HOUSING

Ceiling Cut Out： 2"



LIGHTING Elements

Project Name:	
Type:	
Qty:	

ROUND ADJUSTABLE



SQUARE ADJUSTABLE