

Project Name:	
Type:	
Qty:	

Ring Light POE

Pendant / Surface








PRODUCT DESCRIPTION


The Ring Light is a versatile architectural lighting solution, available as a surface or pendant mount, with direct or direct/ indirect illumination. The Ring Light is available with 1,2 or 3 rings mounted from a single canopy. From 2ft dia to 16ft dia, the Ring Light stands out among the rest for range of features and options.

FEATURES

- POE (power over ethernet)
- 4 sizes to choose from ranging from 2ft. to 16.5ft
- Aluminum body construction
- 3 color finishes to choose from (white, black, silver)
- 85 lumens per watt
- Direct and Direct / Indirect LED light source
- Acoustic Option
- 60" adjustable suspension length



Direct Slim



Direct/Indirect Profile

ORDERING INFORMATION

RL-POE								
Fixture Type	Light Distribution	Mounting	CRI	Color Temp. Direct	Color Temp. Indirect	Size / Wattage	Housing Finish	Options
RL-POE Ring Light Series (power over ethernet)	DSL Direct Slim DI/ID Direct / Indirect	S Surface* CC Central Canopy DS Direct Suspension	9 90+ CRI	30K 3000 k 35K 3500 k 40K 4000 k	30K 3000 k 35K 3500 k 40K 4000 k NA Direct light only	2 2 ft. Dia. (600mm) = 40watts 3 3 ft. Dia. (900mm) = 50watts 4 4 ft. Dia. (1200mm) = 80watts 5 5 ft. Dia. (1500mm) = 100watts 6 6.5 ft. Dia. (2000mm) = 120watts 8 8 ft. Dia. (2400mm) = 160watts 10 10 ft. (3000mm) = 200watts 12 11.8ft. (3600mm) = 240watts 14 13.8ft. (4200mm) = 320watts 16 16.5 ft. (5000mm) = 400watts	BK Black WH White SLV Silver RD Red BL Blue GR Green YL Yellow W Walnut C Cherry O Oak M Maple S Santos RAL xxx Custom RAL	*AC-XXX Acoustic (color code on page 3)
*Surface mount for direct light distribution only						** For multiple rings, list the sizes from largest to smallest. Example: 10/5/2	*Consult NAL for custom color options.	
								* Additional cost associated with premium wood finish acoustic textures, (etc. OXX codes) Acoustic available in the following sizes only: DSL: 2,3,4,5,6,8ft DI/IN: 3,4,5,6,8ft


Project Name:	
Type:	
Qty:	

Ring Light POE

NUMBER OF SECTIONS & SUSPENSION POINTS

2' & 3' Dia.


1 section / 3 mounting points



Direct = 1 Driver

4' & 5' Dia.

1 section / 4 mounting points




Direct = 2 Drivers
Direct/Indirect = 3 Drivers

6' Dia.

3 Sections / 6 Mounting Point


Direct = 3 Driver
Direct/Indirect = 4 Drivers



10' Dia.

5 Sections / 10 Mounting Point


Direct = 5 Driver
Direct/Indirect = 7 Drivers



16ft.

6 Sections / 12 Mounting Point



Direct = 9 Driver
Direct/Indirect = 11 Drivers



CANOPY DIMENSIONS

Size	Diameter	Height
2ft, 3ft	10"	1.75"
4ft, 5ft, 6ft	14"	1.75"
10ft, 16ft	20"	1.75"

PHOTOMETRY




DELIVERED LUMENS

Size	Direct Only		Direct / Indirect	
	Lumens	Watts	Lumens	Watts
2ft.	3,400	40	4,500	50
3ft.	4,250	50	5,800	65
4ft.	6,800	80	9,000	100
5ft.	8,500	100	12,150	135
6ft.	10,200	120	13,500	150
8ft.	13,600	160	16,000	200
10ft.	16,000	200	25,500	260
12ft.	20,400	240	27,000	320
14ft.	25,500	320	34,000	400
16ft.	34,000	400	40,800	480

Project Name:	
Type:	
Qty:	

FINISHES



ACOUSTIC COLORS



101-Cream



102-Tan



103-Light Gray



104-Marble



106-Black Marble



107-Black



110-Periwinkle



111-Light Blue



112-Brown



115-Neon



117-Medium
Green



119-Dark Green



120-Midnight
Blue



122-Medium
Gray



123-Dark Blue



127-Peach



129-Creamsicle



130-Orange



133-Red



135-Dark Red



138-Blue Marble



140-Red Marble



141-Dark Gray



144-Blue/Gray



145-Yellow